RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	/0/539,637
Source:	FWP,
Date Processed by STIC:	9/26/06

ENTERED



IFWP

RAW SEQUENCE LISTING DATE: 09/26/2006
PATENT APPLICATION: US/10/539,637 TIME: 10:41:12

Input Set : A:\15101108.APP

Output Set: N:\CRF4\09262006\J539637.raw

```
3 <110> APPLICANT: BOHLIN, LARS
   SJOGREN, MARTIN
 5
        CLAESON, PER
 6
        GORANSSON, ULF
 7
       . SVANGARD, ERIKA
 9 <120> TITLE OF INVENTION: ON-GROWTH INHIBITING COMPOUNDS
11 <130> FILE REFERENCE: 1510-1108
13 <140> CURRENT APPLICATION NUMBER: 10/539,637
14 <141> CURRENT FILING DATE: 2005-06-16
16 <150> PRIOR APPLICATION NUMBER: PCT/SE03/001961
17 <151> PRIOR FILING DATE: 2003-12-16
19 <150> PRIOR APPLICATION NUMBER: SE 0203700-0
20 <151> PRIOR FILING DATE: 2002-12-16
22 <160> NUMBER OF SEQ ID NOS: 11
24 <170> SOFTWARE: PatentIn Ver. 3.3
26 <210> SEQ ID NO: 1
27 <211> LENGTH: 126
28 <212> TYPE: PRT
29 <213> ORGANISM: Artificial Sequence
31 <220> FEATURE:
32 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        peptide
35 <220> FEATURE:
36 <221> NAME/KEY: MOD RES
37 <222> LOCATION: (2)..(21)
38 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1
         to 20 residues
41 <220> FEATURE:
42 <221> NAME/KEY: MOD RES
43 <222> LOCATION: (23)..(42)
44 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1
45
         to 20 residues
47 <220> FEATURE:
48 <221> NAME/KEY: MOD RES
49 <222> LOCATION: (44)..(63)
50 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1
        to 20 residues
53 <220> FEATURE:
54 <221> NAME/KEY: MOD RES
55 <222> LOCATION: (65)..(84)
56 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1
57 to 20 residues
59 <220> FEATURE:
```

TIME: 10:41:12

Input Set : A:\15101108.APP Output Set: N:\CRF4\09262006\J539637.raw 60 <221> NAME/KEY: MOD RES 61 <222> LOCATION: (86)..(105) 62 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1 to 20 residues 65 <220> FEATURE: 66 <221> NAME/KEY: MOD RES 67 <222> LOCATION: (107)..(126) 68 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1 to 20 residues 71 <400> SEQUENCE: 1 5 10 20 25 78 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa 35 40 70 75 90 90 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa 100 105 115 97 <210> SEQ ID NO: 2 98 <211> LENGTH: 66 99 <212> TYPE: PRT 100 <213> ORGANISM: Artificial Sequence 102 <220> FEATURE: 103 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic 104 peptide 106 <220> FEATURE: 107 <221> NAME/KEY: MOD RES 108 <222> LOCATION: (2)..(11) 109 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1 to 10 residues 112 <220> FEATURE: 113 <221> NAME/KEY: MOD RES 114 <222> LOCATION: (13)..(22) 115 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1 116 to 10 residues 118 <220> FEATURE: 119 <221> NAME/KEY: MOD RES 120 <222> LOCATION: (24)..(33) 121 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1 122 to 10 residues 124 <220> FEATURE:

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/539,637

TIME: 10:41:12

Input Set : A:\15101108.APP Output Set: N:\CRF4\09262006\J539637.raw 125 <221> NAME/KEY: MOD RES 126 <222> LOCATION: (35)..(44) 127 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1 to 10 residues 130 <220> FEATURE: 131 <221> NAME/KEY: MOD RES 132 <222> LOCATION: (46)..(55) 133 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1 134 to 10 residues 136 <220> FEATURE: 137 <221> NAME/KEY: MOD RES 138 <222> LOCATION: (57)..(66) .139 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1 to 10 residues 142 <400> SEQUENCE: 2 W--> 143 Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa 5 146 Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa 25 147 20 149 Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa 35 40 152 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa 153 50 55 155 Xaa Xaa 156 65 159 <210> SEQ ID NO: 3 160 <211> LENGTH: 42 161 <212> TYPE: PRT 162 <213> ORGANISM: Artificial Sequence 164 <220> FEATURE: 165 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic 166 peptide 168 <220> FEATURE: 169 <221> NAME/KEY: MOD_RES 170 <222> LOCATION: (2)..(7) 171 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 3 to 6 residues 174 <220> FEATURE: 175 <221> NAME/KEY: MOD_RES 176 <222> LOCATION: (9)..(13) 177 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 3 178 to 5 residues 180 <220> FEATURE: 181 <221> NAME/KEY: MOD RES 182 <222> LOCATION: (15)..(21) 183 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 2 to 7 residues 186 <220> FEATURE: 187 <221> NAME/KEY: MOD_RES

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/539,637

TIME: 10:41:12

Input Set : A:\15101108.APP Output Set: N:\CRF4\09262006\J539637.raw 188 <222> LOCATION: (23)..(25) 189 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 1 to 3 residues 190 192 <220> FEATURE: 193 <221> NAME/KEY: MOD_RES 194 <222> LOCATION: (27)..(32) 195 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 3 to 6 residues 198 <220> FEATURE: 199 <221> NAME/KEY: MOD RES 200 <222> LOCATION: (34)..(42) 201 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 4 202 to 9 residues 204 <400> SEQUENCE: 3 W--> 205 Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa 206 1 10 5 208 Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa 209 20 211 Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa 35 212 40 215 <210> SEQ ID NO: 4 216 <211> LENGTH: 33 217 <212> TYPE: PRT 218 <213> ORGANISM: Artificial Sequence 220 <220> FEATURE: 221 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic 222 peptide 224 <220> FEATURE: 225 <221> NAME/KEY: MOD RES 226 <222> LOCATION: (2)..(4) 227 <223> OTHER INFORMATION: Variable amino acid 229 <220> FEATURE: 230 <221> NAME/KEY: MOD RES 231 <222> LOCATION: (6)..(9) 232 <223> OTHER INFORMATION: Variable amino acid 234 <220> FEATURE: 235 <221> NAME/KEY: MOD RES 236 <222> LOCATION: (11)..(17) 237 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 4 238 to 7 residues 240 <220> FEATURE: 241 <221> NAME/KEY: MOD RES 242 <222> LOCATION: (19) 243 <223> OTHER INFORMATION: Variable amino acid 245 <220> FEATURE: 246 <221> NAME/KEY: MOD RES 247 <222> LOCATION: (21)..(25) 248 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 4

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/539,637

to 5 residues

TIME: 10:41:12

Input Set : A:\15101108.APP Output Set: N:\CRF4\09262006\J539637.raw 251 <220> FEATURE: 252 <221> NAME/KEY: MOD RES 253 <222> LOCATION: (27)..(33) 254 <223> OTHER INFORMATION: Variable amino acid and this region may encompass 4 to 7 residues 257 <400> SEQUENCE: 4 W--> 258 Cys Xaa Xaa Xaa Cys Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa 5 261 Xaa Cys Xaa Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa 25 262 20 264 Xaa 268 <210> SEQ ID NO: 5 269 <211> LENGTH: 33 270 <212> TYPE: PRT 271 <213> ORGANISM: Artificial Sequence 273 <220> FEATURE: 274 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic peptide 275 277 <220> FEATURE: 278 <221> NAME/KEY: MOD RES 279 <222> LOCATION: (2)..(7) 280 <223> OTHER INFORMATION: Variable amino acid 282 <220> FEATURE: 283 <221> NAME/KEY: MOD RES 284 <222> LOCATION: (9)..(12) 285 <223> OTHER INFORMATION: Variable amino acid 287 <220> FEATURE: 288 <221> NAME/KEY: MOD RES 289 <222> LOCATION: (14)..(16) 290 <223> OTHER INFORMATION: Variable amino acid 292 <220> FEATURE: 293 <221> NAME/KEY: MOD RES 294 <222> LOCATION: (18) 295 <223> OTHER INFORMATION: Variable amino acid 297 <220> FEATURE: 298 <221> NAME/KEY: MOD RES 299 <222> LOCATION: (20)..(24) 300 <223> OTHER INFORMATION: Variable amino acid 302 <220> FEATURE: 303 <221> NAME/KEY: MOD RES 304 <222> LOCATION: (26)..(33) 305 <223> OTHER INFORMATION: Variable amino acid 307 <400> SEQUENCE: 5 W--> 308 Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Cys Xaa Xaa Xaa 5 10 311 Cys Xaa Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa 312 25 314 Xaa 318 <210> SEQ ID NO: 6

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/539,637

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 09/26/2006
PATENT APPLICATION: US/10/539,637 TIME: 10:41:13

Input Set : A:\15101108.APP

Output Set: N:\CRF4\09262006\J539637.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:1; Xaa Pos. 2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,23,24
Seq#:1; Xaa Pos. 25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,44
Seq#:1; Xaa Pos. 45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63
Seq#:1; Xaa Pos. 65,66,67,68,69,70,71,72,73,74,75,76,777,78,79,80,81,82,83
Seq#:1; Xaa Pos. .84,86-87,88,89,90,91,92,93,94,95-96,-97,98,99,100,101-102
Seq#:1; Xaa Pos. 103,104;105;107,108,109,110,111,112,113,114,115;116;117
Seq#:1; Xaa Pos. 118,119,120,121,122,123,124,125,126
Seq#:2; Xaa Pos. 2,3,4,5,6,7,8,9,10,11,13,14,15,16,17,18,19,20,21,22,24,25
Seq#:2; Xaa Pos. (26,27,28,29,30,31,32,33,35,36,39,40,41,42,43,44,46
Seq#:2; Xaa Pos. 47,48,49,50,51,52,53,54,55,57,58,59,60,61,62,63,64,65,66
Seq#:3; Xaa Pos. 2-3,4-5-6-7,9-10,11,12,13,45,16,17,18,19,20,21,23-24-25,27
Seg#:3; Xaa Pos. 28,29,30,31,32,34,35,36,37,38,39,40,41,42
Seq#:4; Xaa Pos. 2,3,4,6,7,8,9,11,12,13,14,15,16,17,19,21,22,23,24,25,27,28
Seq#:4; Xaa Pos. 29,30,31,32,33
Seq#:5; Xaa Pos. 2-3,4-5,6,7,9-10-11-12-14-15-16,18,20-21,22,23,24,26,27-28
Seq#:5; Xaa Pos. 29,30,31,32,33
```

VERIFICATION SUMMARY

DATE: 09/26/2006 TIME: 10:41:13

PATENT APPLICATION: US/10/539,637

Input Set : A:\15101108.APP

Output Set: N:\CRF4\09262006\J539637.raw

 $L\!:\!72$ M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0

M:341 Repeated in SeqNo=1

L:143 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0

M:341 Repeated in SeqNo=2

L:205 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0

M:341 Repeated in SeqNo=3

L:258 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0

M:341 Repeated in SeqNo=4

L:308 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0

M:341 Repeated in SeqNo=5